



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/733,493

12/10/2003

Tomoyuki Terada

15162/05620

7682

24367 7590 04/16/2010

SIDLEY AUSTIN LLP
717 NORTH HARWOOD
SUITE 3400
DALLAS, TX 75201

EXAMINER

DIEP, NHON THANH

ART UNIT

PAPER NUMBER

2621

NOTIFICATION DATE

DELIVERY MODE

04/16/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

pair@sidley.com
ipdocketing@sidley.com

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10733493	12/10/03	TERADA ET AL.	15162/05620

SIDLEY AUSTIN LLP
717 NORTH HARWOOD
SUITE 3400
DALLAS, TX 75201

EXAMINER

Nhon T. Diep

ART UNIT	PAPER
----------	-------

2621	20100410
------	----------

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

IDS filed 1/30/2006 lists "Notice of Reason(s) for refusal dated September 6, 2005"; however, the only NPL provided (11/30/2007) has dispatch date of December 12, 2005 date (top left line). As being clarified by the attorney, Mr. David T. DeZern on April 9, 2010, the IDS has the wrong date and the date should be December 12, 2005 as is the provided NPL. The examiner has considered the IDS filed 1/30/2006 and a copy of the initial IDS is included in this communication.

/Nhon T Diep/
Primary Examiner, Art Unit 2621